

11/16/00  
JCT72 U.S. PTO

REQUEST FOR FILING AN ORIGINAL UTILITY PATENT APPLICATION  
UNDER 37 CFR 1.53(b)

Attorney Docket No.: 57983-000017  
Client Reference No.: 12753R0

Inventor(s): R. Bruce Wallace  
Bruce L. Townsend

Title: "SYSTEM AND METHOD FOR REGULATING WEB SITE ACCESS"

Assistant Commissioner  
for Patents  
Washington, D.C. 20231

Attn: Box PATENT  
APPLICATION

Sir:

This is a request for filing an original utility patent application under 37 CFR 1.53(b). Attached are:

- [x] 31 pages of specification, claims, abstract.
- [x] 7 sheets of informal drawings.
- [x] Declaration & Power of Attorney Document.
- [ ] Verified Statement Claiming Small Entity Status - Small Business Concern.
- [ ] Verified Statement Claiming Small Entity Status - Independent Inventor.
- [x] Assignment Document along with Recordation of Assignment Form.
- [ ] Certified Copy of \_\_\_\_\_.
- [ ] Preliminary Amendment.
- [ ] Associate Power of Attorney.
- [ ] Information Disclosure Statement, Form PTO-1449 and reference.
- [x] Return Receipt Postcard.

JC815 U.S. PTO  
09/713292  
11/16/00

09/713292 11/16/00

Patent Application  
Attorney Docket No.: 57983-000017  
Client Reference No.: 12753RO

The filing fee has been calculated as shown below:

	# of Claims		Extra Claims	Rate	Fee
Total Claims	44	Minus 20	24	x \$18.00	\$ 432.00
Independent Claims	4	Minus 3	1	x \$80.00	\$ 80.00
Basic Application Fee					\$ 710.00
If multiple dependent claims are present, add \$260.00					\$ 0.00
Subtotal					\$ 1222.00
Subtract ½ if Small Entity					\$ 0.00
Total Application Fee					\$ .00
Assignment Recordation Fee					\$ 40.00
TOTAL FEE DUE					\$ 1262.00
AMOUNT TO BE CHARGED TO DEPOSIT ACCOUNT NO. 10-0447					\$ 0.00


- [ ] Please charge Deposit Account No. 50-0206 in the amount of \$.00 for the above-indicated fees. A duplicate copy of this transmittal is submitted herewith.
- [x] The Commissioner is hereby authorized to charge any fees under 37 CFR 1.16 associated with the filing of this application, or credit any overpayment, to Deposit Account No. 50-0206. A duplicate copy of this transmittal is submitted herewith.
- [x] The Commissioner is hereby authorized to charge any fees under 37 CFR 1.16 and 1.17 which are required during the pendency of this application, or credit any overpayment, to Deposit Account No. 50-206. This authorization does not

Patent Application  
Attorney Docket No.: 57983-000017  
Client Reference No.: 12753RO

include any issue fees under 37 CFR 1.18. A duplicate copy  
of this transmittal is submitted herewith.

Respectfully submitted,

HUNTON & WILLIAMS

By:   
Kerry H. Owens  
Registration No. 37,412

KHO/vrp

Hunton & Williams  
1900 K. Street, NW  
Washington, DC 2000006  
Telephone: 202-955-1500  
Facsimile: 202-778-2201

Date: November 16, 2000

SYSTEM AND METHOD FOR REGULATING WEB SITE ACCESS

CROSS-REFERENCE TO RELATED APPLICATIONS

This patent application claims priority from  
5 Provisional patent application Serial No. 60/217,595,  
filed on July 11, 2000 and entitled "Internet Take-a-  
Number Service". This patent application is related to  
U.S. Patent Application serial no. \_\_\_\_\_, (Atty.  
Docket No. 57983.000027, Client Reference No. 13848RO)  
10 entitled "Technique for Adaptively Controlling the  
Admission of Web Server Requests" and in U.S. Patent  
Application Serial No. \_\_\_\_\_, (Atty. Docket No.  
57983.000008, Client Reference No. 12671RO) entitled  
"Technique for Adaptively Distributing Web Server  
15 Requests." The aforementioned patent applications are  
filed concurrently herewith and are hereby incorporated  
by reference in their entirety.

FIELD OF THE INVENTION

The present invention relates generally to a system  
20 and method for regulating web site access and, more  
particularly, to a system and method for regulating

website access in order to improve upon customer service and prevent web sites from failing due to excessive volume.

#### BACKGROUND OF THE INVENTION

5 In recent years, many e-commerce businesses have suffered from managing the problem of success. The growth of e-commerce has caused web site proprietors to have frequent occasion to reevaluate their hardware and software needs for their web sites. Frequently, a web  
10 site proprietor faces the realization that an initial amount of software and hardware allocated to a web site is insufficient to accommodate a number of concurrent users accessing the web site (*i.e.*, the "load" on the web site). Additionally, response times for accessing the  
15 web site, performing certain activities within the web site, and retrieving desired information from the web site may become so slow that a user of the web site exits the web site due to the slow response time. On extreme overload conditions, some customers will receive "server  
20 not available" errors and will not be able to get access. It is additionally possible that customers could be

dropped in the middle of a transaction. Ultimately, the entire web site could fail under the load. Examples of sites experiencing overload problems include Amazon.com and Barnes & Noble, which experienced overload during the  
5 release of the new Stephen King novel. Additionally, the Victoria's Secret web site failed completely during its first fashion show.

Web site proprietors, such as Internet "start-up companies," are initially uncertain as to the loads their  
10 web sites will be required to handle. Such web sites may initially be developed on a small scale, and the web site proprietors may have an intention of expanding the web sites in the future. However, if a web site is selling products or services which are in great demand or the web  
15 site offers incentives to users who access the web site in order to increase the number of users of the web site, or the web site is actively engaged in advertising and publicizing the products or services sold via the web site, the web site often ends up becoming quickly  
20 overburdened by a large number of concurrent users. The proprietor of the web site may not be able to respond

quickly enough by adding hardware and software to the web site to address the large number of concurrent users.

Consequently, the web site may experience technical difficulties such as "crashes" or slow response times

5 because it was not designed to handle the traffic level loads. Such technical difficulties frequently cause consumer dissatisfaction. The web site proprietor may lose potential customers while trying to redesign the web site to meet the large volume of concurrent users.

10 In view of the foregoing, it would be desirable to provide a technique for managing web site traffic which overcomes the above-described inadequacies and shortcomings. In traditional businesses, companies are able to limit the number of customers they service  
15 through limiting physical access to stores or placing customers on hold on phone lines. A system and/or method is needed to avoid web site technical difficulties, such as web site crashes and slow response times, among other difficulties, by limiting the number of concurrent users  
20 that can access the web site and notifying customers that web site access is not currently available.

SUMMARY OF THE INVENTION

In accordance with the purposes of the invention as embodied and broadly described herein, there is provided an internet customer access system comprising a redirect  
5 receiving unit for generating a request for a capacity determination of a web site. The system further comprises a capacity determination unit for determining if the web site has the capacity to handle an additional customer and a notification unit for notifying the  
10 customer if the web site currently has insufficient capacity to accommodate additional customers. A redirect unit redirects the customer to the web site if sufficient capacity is found.

In a further aspect of the invention, an internet  
15 customer access system is provided comprising a capacity determination unit for determining if the web site has the capacity to handle an additional customer and a scheduling processor for scheduling access of the customer to the web site if the capacity determination  
20 unit indicates that no current capacity exists. A



customer identification unit is provided for determining whether a customer has scheduled access to the web site.

In an additional aspect, the invention comprises a method for regulating access to a web site. The method  
5 comprises the steps of receiving a web site access request, determining whether the web site has sufficient capacity to accommodate a customer, redirecting the customer to the web site if sufficient capacity is found, and notifying the visitor if insufficient capacity is  
10 found.

In yet a further aspect of the invention, a method for regulating access to a web site is provided. The method comprises the steps of determining if the web site has sufficient capacity to handle a customer, scheduling  
15 access of the customer to the web site if insufficient capacity is found, and determining whether the customer has previously scheduled access to the web site.

These and other features, objects, and advantages of the preferred embodiments will become apparent when the  
20 detailed description of the preferred embodiments is read in conjunction with the drawings attached hereto.

5

## 15

20

Figure 2 is a block diagram illustrating the components of an embodiment the incoming traffic control system for regulating web site traffic;

Figure 3 is a flow chart illustrating an embodiment  
5 of the method for regulating web site traffic;

Figure 4 is a flow chart illustrating the sub-steps involved in a redirect procedure of the method for regulating web site traffic;

Figure 5 is a flow chart illustrating a first  
10 embodiment of performing scheduling operations;

Figure 6 is a flow chart illustrating a second embodiment of performing scheduling operations;

Figure 7 is a flow chart illustrating a first embodiment of performing update processing;

15 Figure 8 is a flow chart illustrating a second embodiment of performing update operations;

Figure 9 is a flow chart illustrating an alternative embodiment of a method for regulating web site traffic; and

20 Figure 10 is a flow chart illustrating the redirect procedures for the embodiment of Figure 9.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Reference will now be made in detail to the present preferred embodiments of the invention, examples of which are illustrated in the accompanying drawings in which  
5 like reference numerals refer to corresponding elements.

Figure 1 is a block diagram illustrating an embodiment of the system for controlling incoming traffic to a web site. The incoming traffic regulating system 100 interacts with a web site 200, a name server 300, and  
10 a customer system 400 through the use of a network 500 such as the Internet.

The customer system 400 may be or include, for instance, a personal computer running the Microsoft Windows™ 95, 98, Millenium™, NT™, or 2000, Windows™CE™,  
15 PalmOS™, Unix, Linux, Solaris™, OS/2™, BeOS™, MacOS™ or other operating system or platform. Customer 400 may include a microprocessor such as an Intel x86-based device, a Motorola 68K or PowerPC™ device, a MIPS, Hewlett-Packard Precision™, or Digital Equipment Corp.  
20 Alpha™ RISC processor, a microcontroller or other general or special purpose device operating under programmed

control. Customer system 400 may furthermore include electronic memory such as RAM (random access memory) or EPROM (electronically programmable read only memory), storage such as a hard drive, CDROM or rewritable CDROM  
5 or other magnetic, optical or other media, and other associated components connected over an electronic bus, as will be appreciated by persons skilled in the art.

The server 300 may be or include, for instance, a workstation running the Microsoft Windows™ NT™, Windows™  
10 2000, Unix, Linux, Xenix, IBM AIX™, Hewlett-Packard UX™, Novell Netware™, Sun Microsystems Solaris™, OS/2™, BeOS™, Mach, Apache, OpenStep™ or other operating system or platform.

The traffic regulating system 100 and the web site  
15 200 exchange status information on the ability for the web site 200 to handle new loads as illustrated by path 1. When the customer system 400 attempts to access the web site 200 and connects to the name server 300 as shown by path 2, the name server 300 directs the request to the  
20 traffic regulating system 100 instead of the actual web site 200 as shown by path 3. Through the exchange of

information between the traffic regulating system 100 and the web site 200, the traffic regulating system 100 determines whether the web site 200 has the capacity to handle an additional customer. This exchange of  
5 information can occur in two different ways. In the first case, the traffic regulating system 100 queries the web site 200 for capacity information upon receiving each request. In the second case, the traffic regulating system 100 queries the web site 200 at predetermined  
10 intervals. In the latter case, when a request for a capacity determination is received, the decision as to whether capacity is available is made based on the result of the most recent query. If the web site 200 has the capability to handle an additional customer 400, the  
15 customer system 400 is redirected to the web site as shown by paths 5 and 6.

As will further be explained in detail below, when the traffic regulating system 100 determines that insufficient capacity is available, it may attach an  
20 encrypted tag to the customer system 400. When the customer system 400 attempts access again, the traffic

regulating system 100 locates the tag and removes it when  
the customer system 400 is redirected to the web site 200  
as shown by paths 4 and 5. If the web site 200 does not  
have capacity to handle an additional customer 400 and  
5 the customer 400 does not have a tag, the traffic  
regulating system 100 displays a web page to the customer  
system 400 via path 5. The web page informs the customer  
system 400 of the lack of capacity and available options.  
At this point, the customer system 400 is able to select  
10 an option as will be further explained below. After  
selecting an option, the customer is free to browse  
elsewhere or go off line. If the web page provided to  
the customer system 400 provides scheduling options and  
the customer elects to schedule web site access, a tag is  
15 attached to the customer system via paths 4 and 5. In a  
preferred embodiment, the tag is an encrypted cookie.  
The tag may also be an unencrypted cookie or any other  
type of encrypted or unencrypted tag. Encryption can be  
used to prevent intentional overloading. For instance,  
20 if the tag is not encrypted, the customer might obtain  
the tag and forward it to other customers for their use.

00911 2521/50

A tag that is encrypted specifically to a customer system avoids reuse or sharing by unauthorized customers. When the customer system 400 again attempts to access the web site 200, the customer system 400 is redirected to the traffic regulating system 100 as explained above. The traffic regulating system 100 determines whether the customer system 400 has a valid or current tag. If the tag is valid, the customer system 400 is redirected immediately to the web site 200 via paths 5 and 6.

10        Figure 2 is block diagram illustrating the components of an embodiment of the traffic regulating system 100. The traffic regulating system 100 comprises standard components such as a memory 110 and an I/O interface 120. A processor 130 includes processing components including a redirect receiving unit 132 for receiving redirected customer requests from the network server 300 and requesting a capacity determination. The traffic regulating system 100 also includes a redirect unit 134 for redirecting the customer system 400 to the web site 200 when capacity is available as determined by a capacity determination unit 136. Available capacity

15

20



may be determined in any manner known to those skilled in the art and will depend upon the particular hardware and software configuration of the web site 200 as well as the desired response time for accommodating customers. A

5 notification unit 140 is provided for notifying customers if insufficient capacity is available. The notification unit 140 also has the capability to attach a tag to the customer system 400. The notification unit 140 includes a scheduling processor 142 and an update processor 144.

10 Embodiments of the scheduling processor 142 and the update processor 144 are further disclosed below. Finally, the traffic regulating system 100 additionally includes a customer identification unit 138 which is capable of discerning whether a customer system has been

15 provided with a tag.

Figure 3 is a flow chart illustrating a method for controlling incoming traffic to a web site in accordance with an embodiment of the invention. In step A10, a universal resource locator (URL) is received from the

20 customer system 400. In step A12, the network server 300 redirects the request to the traffic regulating system

100. In step A14, the traffic regulating system 100  
exchanges information with the web site 200 to determine  
whether the web site 200 has capacity. As set forth  
above, the exchange of information between the web site  
5 200 and the customer system 400 can occur upon each  
request or at regular predetermined intervals. If the  
latter method is used, the capacity determination is  
based upon the most recent regularly scheduled inquiry.  
If it is determined that the web site 200 does have  
10 sufficient capacity, the customer system 400 is  
redirected to the web site 200 in procedure B. Procedure  
B is further described below in conjunction with Figure  
4. If the web site 200 has insufficient capacity, the  
traffic regulating system 100 determines in step A18  
15 whether the customer has a tag. If the traffic  
regulating system 100 determines in step A18 that the  
customer does have a tag, the customer identification  
unit 138 of traffic regulating system 100, further  
inquires in step A20 whether the tag is valid. If the  
20 tag is valid in step A20, the customer 400 is immediately  
redirected to the web site in procedure B. If in step

A18, the traffic regulating system 100 determines that the customer does not have a tag, scheduling operations are performed in accordance with procedure C. The embodiments of procedure C are further described below in  
5 conjunction with Figures 5 and 6.

Additionally, if in step A20, the tag is determined to be invalid, the system 100 determines whether the tag is expired in step A24. If the tag is determined to be expired in step A24, the traffic regulating system 100  
10 performs scheduling operations C as indicated above according to the embodiment shown in Figures 5 or 6. If in step A24, the tag is not expired, the traffic regulating system 100 proceeds to procedure D to perform update processing. Update processing may be performed in  
15 accordance with either of the embodiments shown in Figure 7 and 8 as will be further explained below. In step A28, the user may again request access by entering the URL of the web site 200.

Figure 4 is a flow chart illustrating the steps  
20 involved in an embodiment of the redirect procedure. In step B10, the traffic regulating system 100 determines if

the customer system 400 has a tag. If the customer system 400 has a tag, the traffic regulating system 100 removes the tag in step B12. Otherwise, the customer system is sent directly to the web site 200 in step B14.

- 5 If the customer system 400 has a tag, the traffic regulating system 100 redirects the customer system 400 to the web site 200 upon removal of the tag.

Figure 5 illustrates a first embodiment of performing scheduling operations in accordance with procedure C. As set forth above, scheduling operations may be performed when the web site 200 has insufficient capacity to handle additional customers. In step C10, the traffic regulating system 100 displays a web page to the customer 400. The web page indicates that the web site is full, but that capacity will be available in the future. In step C12, the traffic regulating system 100, through the use of notification unit 140 provides the customer 400 with a position in a queue. In step C14, the notification unit 140 further provides the customer 400 with a estimated time at which the designated position in the queue will be reached. In step C16, the

notification unit 140 leaves a tag on the customer system  
400 indicating that the customer system 400 has logged on  
to the site and has been scheduled. In step C18, the  
traffic regulating system 100 informs the customer that  
5 access to the site will be valid for only a finite  
specified time.

In accordance with the scheduling procedure shown in  
Figure 5, update processing is performed as shown in  
Figure 7. In particular, when the customer 400 again  
10 attempts to log on to the system, if the customer has a  
tag that is not yet valid, the notification unit 140  
provides the customer 400 with updated queue information  
in step D10. This updated queue information may comprise  
an updated position and a new estimated time period. In  
15 step D12, the system advises the customer to continue  
browsing.

Alternative scheduling operations may be performed  
in accordance with Figure 6. As shown in Figure 6, the  
system 100 provides the customer with appointment slots  
20 in step C110. Such slots would typically include divided  
time periods such as 15 minute time spans in which the

customer might access the web site 200. In step C112, if  
the customer selects a slot, the traffic regulating  
system 100 sets the appointment in step C114. In step  
C116, the traffic regulating system 100 leaves a tag on  
5 the customer system 400. In step C118, the traffic  
regulating system 100 informs the customer 400 that the  
tag is valid only for a specified time. If scheduling is  
performed in accordance with Figure 6, update processing  
will subsequently be performed in accordance with Figure  
10 8 if the customer 400 attempts to access the web site  
before the scheduled time period. In step D110, the  
customer 400 is presented with the web page with  
appointment information. In step D112, the customer 400  
is offered the option to cancel or reschedule. In step  
15 D114, if an operation is requested, the system performs  
the cancellation or rescheduling operation in step D116.

In the embodiments Figs. 5 and 6, the customer 400  
was provided with a tag for identification. In an  
alternative embodiment each customer could be provided  
20 with an alternative identifying mechanism such as a user  
ID/password. In this instance, upon subsequent logon,

the traffic regulating system 100 would recognize the identifier and check the schedule.

Figures 9 and 10 illustrate an alternative embodiment of the invention in which a customer system  
5 attempts to access a web site having a temporary event. If a web site is broadcasting a live event which is limited to a duration of several hours or less, it is likely that it will not be practicable to reschedule access. However, as a service to the customer, a  
10 notification message indicating that web site capacity has been exceeded can be provided. Furthermore, it may be possible to provide replay options for interested customers. Accordingly, in Figure 9, the URL is received in step 210. In step 212, the network server 300  
15 redirects the request to the traffic regulating system 100. In step 214, the traffic regulating system 100 determines whether the web site 200 has sufficient capacity to accommodate an additional customer. If the capacity is available, the customer is redirected to the  
20 web site 200 in step 218. If sufficient capacity is not available, the customer is informed in procedure E.

Figure 10 provides an embodiment of procedure E for informing the customer that the web site is full. In step E10, the traffic regulating system 100 displays a "site is full" or similar message. In step E12, the system 100 provides options to the customer for scheduling replay options. If a replay option is scheduled the traffic regulating system 100 leaves an encrypted cookie on the customer system 400 in step E14. As an alternative to the method shown in Figure 10, the customer system 400 could merely be provided with an indication that the site is full. In this instance, no tag would be left on the customer system 400.

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the present invention, in addition to those described herein, will be apparent to those of ordinary skill in the art from the foregoing description and accompanying drawings. Thus, such modifications are intended to fall within the scope of the following appended claims. Further, although the present invention has been described herein in the



PATENT APPLICATION  
ATTORNEY DOCKET NO. 57983.000017  
CLIENT REFERENCE NO.: 12753RO

context of a particular implementation in a particular  
environment for a particular purpose, those of ordinary  
skill in the art will recognize that its usefulness is  
not limited thereto and that the present invention can be  
5 beneficially implemented in any number of environments  
for any number of purposes. Accordingly, the claims set  
forth below should be construed in view of the full  
breadth and spirit of the present invention as disclosed  
herein.

1 WHAT IS CLAIMED IS:

2 1. An internet customer access system comprising:  
3 a redirect receiving unit for generating a request  
4 for a capacity determination for a web site;  
5 a capacity determination unit for determining if the  
6 web site has capacity to handle an additional customer;  
7 a notification unit for notifying the customer if  
8 the web site currently has insufficient capacity; and  
9 a redirect unit for redirecting the customer to the  
10 web site if sufficient capacity is found.

1 2. The internet customer access system of claim 1,  
2 wherein the notification unit comprises a scheduling  
3 processor for scheduling access of the customer to the  
4 web site.

1 3. The internet customer access system of claim 2,  
2 further comprising a customer identification unit for  
3 determining whether a customer has scheduled access to a  
4 web site.

1 4. The internet customer access system of claim 2,  
2 wherein the scheduling processor comprises means for  
3 attaching a tag to the customer system.

1           5.    The internet customer access system of Claim 4,  
2    wherein the tag comprises an encrypted cookie.

1           6.    The internet customer access system of claim 4,  
2    wherein the customer identification unit comprises means  
3    for detecting the tag on the customer system and means  
4    for removing the tag from the customer system.

1           7.    The internet customer access system of claim 3,  
2    wherein the notification unit comprises an update  
3    processor for informing a customer access system already  
4    possessing a tag of current accessibility status.

1           8.    The internet customer access system of claim 2,  
2    wherein the scheduling processor comprises means for  
3    providing appointment slots.

1           9.    The internet customer access system of claim 3,  
2    wherein the scheduling processor comprises means for  
3    providing the customer with a position in a queue and  
4    means for providing an estimated service time.

1           10.   The internet customer access system of claim 9,  
2    wherein the notification unit comprises means for  
3    providing a customer with an updated place in the queue.

1        11. The internet customer access system of claim 1,  
2 wherein the notification unit comprises means for  
3 notifying a customer that the site is full.

1        12. The internet customer access system of claim 1,  
2 wherein the notification unit comprises means for  
3 notifying a customer that replay options are available.

1        13. An internet customer access system comprising:  
2        a capacity determination unit for determining if the  
3 web site has the capacity to handle an additional  
4 customer;  
5        a scheduling processor for scheduling access of the  
6 customer to the web site if the capacity determination  
7 unit indicates that no current capacity exists; and  
8        a customer identification unit for determining  
9 whether the customer has scheduled access to the web  
10 site.

1        14. The internet customer access system of claim  
2 13, wherein the scheduling processor comprises means for  
3 attaching a tag to a customer system.

1        15. The internet customer access system of 14,  
2 wherein the tag is an encrypted cookie.

1        16. The internet customer access system of claim  
2        15, wherein the customer identification unit comprises  
3        means for detecting the encrypted cookie on the customer  
4        system and means for removing the encrypted cookie from  
5        the customer system.

1        17. The internet customer access system of claim  
2        14, further comprising a notification unit having an  
3        update processor for informing a customer access system  
4        already possessing a tag of current accessibility status.

1        18. The internet customer access system of claim  
2        14, wherein the scheduling processor comprises means for  
3        providing appointment slots.

1        19. The internet customer access system of claim  
2        14, wherein the scheduling processor comprises means for  
3        providing the customer with a position in a queue and  
4        means for providing an estimated service time.

1        20. The internet customer access system of claim  
2        13, further comprising a notification unit having means  
3        for notifying a customer that the site is full.

1        21. A method for regulating access to a web site,  
2        the method comprising the steps of:

3 receiving a web site access request;  
4 determining whether the web site has sufficient  
5 capacity to accommodate a customer;  
6 redirecting the customer to the web site if  
7 sufficient capacity is found; and  
8 notifying the customer if insufficient capacity is  
9 found.

1 22. The method of claim 21, comprising notifying  
2 the customer that replay options are available.

1 23. The method of claim 21, further comprising  
2 determining whether the customer has a tag.

1 24. The method of claim 23, further comprising  
2 determining whether the tag is valid.

1 25. The method of claim 24, further comprising  
2 redirecting the customer to the web site if the tag is  
3 valid.

1 26. The method of claim 23, further comprising  
2 determining if the tag is expired.

1 27. The method of claim 26, further comprising  
2 performing scheduling operations if the tag is expired

3 and providing the customer with an updated status if the  
4 cookie is not expired.

1 28. The method of claim 21, wherein redirecting the  
2 customer to the web site comprises the steps of  
3 determining if the customer has a tag and removing the  
4 tag if present.

1 29. The method of claim 21, further comprising  
2 scheduling customer access if insufficient capacity is  
3 found.

1 30. The method of claim 29, wherein scheduling  
2 comprises providing the customer with a position in a  
3 queue.

1 31. The method of claim 29, wherein scheduling  
2 comprises providing the customer with an appointment.

1 32. The method of claim 29, wherein scheduling  
2 comprises leaving a tag on the customer system and  
3 providing the customer with a finite time for which the  
4 tag is valid.

1 33. The method of claim 29, further comprising  
2 determining whether a visitor has previously scheduled  
3 access to the web site.





1           40. The method of claim 36, further comprising  
2     redirecting the customer to the web site if sufficient  
3     capacity is found.

1           41. The method of claim 36, wherein determining  
2     whether a customer has previously scheduled access to the  
3     web site comprises determining whether a customer has a  
4     tag.

1           42. The method of claim 41, further comprising  
2     redirecting the customer to the web site if the tag is  
3     valid.

1           43. The method of claim 42, further comprising  
2     performing scheduling operations if the tag is expired.

1           44. The method of claim 43, further comprising  
2     performing update processing if the tag is not yet valid  
3     and is not yet expired.

ABSTRACT OF THE DISCLOSURE

A system and method are provided for regulating incoming traffic to a web site to prevent overload conditions from occurring. The system comprises a capacity determination unit for determining if a web site  
5 has additional capacity and a notification unit for notifying customers if no capacity is available. A scheduling processor provides a customer with scheduling options. When the web site has sufficient capacity, a redirect unit redirects the customer to the web site.

10






FIGURE 1

T:\Visiol\57983\17\Fig.2

Parameter	Value	Unit
Mean	1.0	mm
Standard deviation	0.5	mm
Minimum	0.0	mm
Maximum	2.0	mm
Range	2.0	mm
Mode	1.0	mm
Median	1.0	mm
Q1	0.5	mm
Q3	1.5	mm
IQR	1.0	mm
Skewness	0.0	
Kurtosis	0.0	
Mean of squares	1.0	mm
Standard error of mean	0.1	mm
Confidence interval	0.8 - 1.2	mm
Significance level	0.05	
Power	0.80	
Effect size	0.10	
Sample size	100	
Alpha	0.05	
Beta	0.80	
Gamma	0.10	
Delta	0.05	
Epsilon	0.01	
Zeta	0.001	
Eta	0.0001	
Theta	0.00001	
Iota	0.000001	
Kappa	0.0000001	
Lambda	0.00000001	
Mu	0.000000001	
Nu	0.0000000001	
Xi	0.00000000001	
Omicron	0.000000000001	
Pi	0.0000000000001	
Rho	0.00000000000001	
Sigma	0.000000000000001	
Tau	0.0000000000000001	
Upsilon	0.00000000000000001	
Phi	0.000000000000000001	
Chi	0.0000000000000000001	
Psi	0.00000000000000000001	
Omega	0.000000000000000000001	



### FIGURE 3



**FIGURE 4**




FIGURE 5




FIGURE 6


```

graph TD
    START([START]) --> D110[present web page with appointment info]
    D110 --> D112[offer option to cancel or reschedule]
    D112 --> D114{operation requested?}
    D114 --> D116[perform operation]
    D116 --> END([END])


```

T:\Visio\57983\17\Figs.7and8





**FIGURE 9**



**FIGURE 10**

Patent Application  
 Attorney Docket No.: 57983.000017  
 Client Reference No.: 12753RO

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name; and

I believe that I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: "System and Method for Regulating Web Site Access", the specification of which:

(X only one) (a) X is attached hereto.  
 (b)        was filed as U.S. Patent Application No.                      on           , 20  , and was amended on           , 20   (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims as amended by any amendment referred to above.

I hereby acknowledge the duty to disclose to the Office all information known to me to be material to the patentability of this application as defined in 37 CFR § 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. § 119 of any foreign application(s) for patent or inventor's certificate listed below, and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of any application on which priority is claimed:

Application No.	Country	Filing Date (MM/DD/YY)	Priority Claimed
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>

I hereby claim the benefit under 35 U.S.C. § 120 of any United States application(s) listed below and, insofar as the

09713232.11600

Patent Application  
 Attorney Docket No.: 57983.000017  
 Client Reference No.: 12753RO

subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of 35 U.S.C. § 112, I hereby acknowledge the duty to disclose to the Office all information known to me to be material to the patentability of this application as defined in 37 CFR § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

Application No.	Filing Date (MM/DD/YY)	Status (Patented, Pending, Abandoned)
<u>06/217,595</u>	<u>07/11/00</u>	<u>Pending</u>

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint: Thomas E. Anderson, Reg. No. 37,063; Thomas J. Scott, Jr., Registration No. 27,836; Stanislaus Aksman, Registration No. 28,562; James G. Gatto, Registration No. 32,694; Christopher C. Campbell, Registration No. 37,291; Thomas M. Blasey, Registration No. 33,475; Henry C. Su, Registration No. 37,738; Brian M. Buroker, Registration No. 39,125; Charles F. Hollis, Registration No. 40,650; Jonathan D. Link, Registration No. 41,548; Kevin J. Dunleavy, Registration No. 32,024; Kevin T. Duncan, Registration No. 41,495; George Georgellis, Registration No. 43,632; Stephen T. Schreiner, Registration No. 43,097; Christopher J. Cuneo, Registration No. 42,450; Raphael A. Valencia, Registration No. 43,216; Scott D. Balderston, Registration No. 35,436; Steven P. Klocinski, Registration No. 39,251; Yisun Song, Registration No. 44,487; Jennifer A. Albert, Registration No. 32,012; Kerry Owens, Registration No. 37,412; Devin S. Morgan, Registration No. 45,562; Andrew J. Ririe, Registration No. P45,979; Carl L. Benson, Registration No.

00971399.11600

Patent Application  
Attorney Docket No.: 57983.000017  
Client Reference No.: 12753RO


38,378; Robin C. Clark, Registration No. 49,050; Herbert V. Kerner, Registration No. 42,721; Rene' Vazquez, Registration No. 38,647, all of the firm Hunton & Williams, 1900 K Street, NW, Washington, DC 20006, as my attorneys and/or agents, with full power of substitution and revocation, to prosecute this application, and any provisionals, continuations, continuations-in-part, divisionals, appeals, reissues, substitutions, re-examinations, and extensions thereof, and to transact all business in the United States Patent and Trademark Office connected therewith, to appoint any individuals under an associate power of attorney, and to file and prosecute any international patent application based thereon before any international authorities.


Please address all correspondence and direct all telephone calls to:

Thomas E. Anderson  
Hunton & Williams  
1900 K Street, N.W.  
Washington, D.C. 20006-1109  
telephone (202) 955-1500  
facsimile (202) 778-2201

NAMED INVENTOR(S):

Patent Application  
 Attorney Docket No.: 57983.000017  
 Client Reference No.: 12753RO

1	<b>Full Name</b>	<b>Inventor's Signature</b>	<b>Date</b>
	R. Bruce Wallace		Nov 7, 2000
	<b>Residence (city, state, country)</b>		<b>Citizenship</b>
	18 Carlisle Circle, RR#4 Ashton, ON, Canada K0A1B0		Canadian
	<b>Post Office Address (include zip code)</b>		
	18 Carlisle Circle, RR#4 Ashton, ON, Canada K0A1B0		

1	<b>Full Name</b>	<b>Inventor's Signature</b>	<b>Date</b>
	Bruce L. Townsend		Nov 7, 2000
	<b>Residence (city, state, country)</b>		<b>Citizenship</b>
	92 Hobin Street Sittsville, Ontario, Canada K2S1G8		Canadian
	<b>Post Office Address (include zip code)</b>		
	92 Hobin Street Sittsville, Ontario, Canada K2S1G8		